

**XXX Anys Tractant el  
VIH.**

**Qué ha canviat?**

Josep Mallolas  
Unitat de VIH. Servei d'Infeccions  
Hospital Clínic  
Universitat de Barcelona

[CDC Home](#)[Search](#)[Health Topics A-Z](#)

National Center for HIV, STD and TB Prevention

Divisions of HIV/AIDS Prevention

[MMWR Index](#)[Home](#)[Index](#)[Search](#)[Site Map](#)[Subscribe](#)

## MMWRs on HIV/AIDS from 1981

-1-

1981 June 5;30:250-2

### *Pneumocystis Pneumonia — Los Angeles*

In the period October 1980-May 1981, 5 young men, all active homosexuals, were treated for biopsy-confirmed *Pneumocystis carinii* pneumonia at 3 different hospitals in Los Angeles, California. Two of the patients died. All 5 patients had laboratory-confirmed previous or current cytomegalovirus (CMV) infection and candidal mucosal infection. Case reports of these patients follow.

Patient 1: A previously healthy 33-year-old man developed *P. carinii* pneumonia and oral mucosal candidiasis in March 1981 after a 2-month history of fever associated with elevated liver enzymes, leukopenia, and CMV viruria. The serum complement-fixation CMV titer in October 1980 was 256; in May 1981 it was 32.\* The patient's condition deteriorated despite courses of treatment with trimethoprim-sulfamethoxazole (TMP/SMX), pentamidine, and acyclovir. He died May 3, and postmortem examination showed residual *P. carinii* and CMV pneumonia, but no evidence of neoplasia.

[CDC Home](#)[Search](#)[Health Topics A-Z](#)

National Center for HIV, STD and TB Prevention

Divisions of HIV/AIDS Prevention


[MMWR Index](#)[Home](#)[Index](#)[Search](#)[Site Map](#)[Subscribe](#)

## MMWRs on HIV/AIDS from 1981

1981 July 4;30:305-8

### Kaposi's Sarcoma and *Pneumocystis Pneumonia* Among Homosexual Men — New York City and California

During the past 30 months, Kaposi's sarcoma (KS), an uncommonly reported malignancy in the United States, has been diagnosed in 26 homosexual men (20 in New York City [NYC]; 6 in California). The 26 patients range in age from 26-51 years (mean 39 years). Eight of these patients died (7 in NYC, 1 in California)—all 8 within 24 months after KS was diagnosed. The diagnoses in all 26 cases were based on histopathological examination of skin lesions, lymph nodes, or tumor in other organs. Twenty-five of the 26 patients were white, 1 was black. Presenting complaints from 20 of these patients are shown in Table 1.



LAV


N

E

B





























82 EF EI













1000 2000  
1000 2000  
1000 2000  
1000 2000


0.5 mm  
0.5 mm  
0.5 mm  
0.5 mm  
0.5 mm  
0.5 mm  
0.5 mm


1000 2000 1000 2000  
C.T. PRICE P.M.U.S.  
DR TORRENT  
1000 2000 1000 2000

GMC


R


L













25 26 (k)




e: E SE





65 82





22 : 19 :

10.5  
10.6  
10.4

VIEW FOR FIELD  
MILITARY TRAINING

E-86

FRONT

48  
49  
50  
51


11.1  
11.2

1









1  
2  
3  
4  
5



ID. NO.:

29/87/88


14:55:28

NAME:

SEX: AGE:

D.O.BIRTH:

COMMENT:




UTR U.DISC 000000 AUX

EXPOSURE 36"

TI=0 MS  
EN=1/1

MS0=3  
SH=3/11



T














# Three Eras of HIV Treatment



## SERIOUS EVENTS / ALL PATIENTS





**Rock Hudson**






**Rock Hudson**

1925-1985

# Three Eras of HIV Treatment



# XI INTERNATIONAL CONFERENCE ON AIDS: VANCOUVER, JULY 7-16, 1996

## HIV viral dynamics

D. Ho, G. Shaw: 10 billion/d



## HIV viral load

- J. Mellors: Predicts progression
- Roche: Threshold 15-25 c/mL

## Clinical trials


- J. Montaigner: NVP/AZT/ddI
- R. Gulick: IDV/AZT/3TC
- M. Markowitz: SQV/RTV

# Dynamics of HIV-1 Replication in Patients on Antiretroviral Therapy




# TIME

MAN OF THE YEAR




Dr. DAVID HO  
AIDS  
RESEARCHER






# Frequency of Latently Infected CD4+ T Cells as a Function of Time on HAART




# Impact of HAART on HIV-related mortality


United States, 1985-1999\*



\*Adjusted for reporting delays









NELLS, MIQUE

HRP


HOS  
MAG








# Three Eras of HIV Treatment



# Increasing efficacy of HIV drugs over time

Meta-analysis of 144 studies in >40,000 ART-naive patients





**Magic Johnson**

1959-

*Physicians taking care of HIV people spent more than 80% of the time searching the best “virological option” for the patient from the beginning until the end of the 90s....*


*However, this approach has been changed and now we spend more than 80% of the time working as an “Internal Medicine” physician....*

# **“Decálogo”**

## **In the management of patients on ARV:**

- 1.- Short term and long term side effects**
- 2.- Age**
- 3.- Cardiovascular disease**
- 4.- Liver (toxicity and hepatotropic viruses)**
- 5.- Kidney**
- 6.- Inflammation**
- 7.- Lipodystrophy**
- 8.- Neurotoxicity**
- 9.- Bone**
- 10.- Vitamin D**

# The Good News



Adapted from the US Food and Drug Administration, Antiviral Drugs Advisory Committee Meeting,  
April 27-28, 2011, Silver Spring, MD.

# IFN-Free Therapies: Considerations

- No parenteral. ✓
- Tolerance (equal to placebo) ✓
- Higher SVR ✓
- *...Can we forget PR based therapies?????*
- **YES, WE CAN!!!!**

# HIV-1 Vaccines



*Thirty-six years ago, President Kennedy...gave us a goal of reaching the moon, and we achieved it - ahead of time*

*Let us today set a new national goal for science in the age of biology. Today, let us commit ourselves to developing an AIDS vaccine within the next decade*

*- President Bill Clinton, 1997*



## Kondom

**Swedish condom symbol.** The Swedes have been promoting condoms for more than a decade to slow the spread of sexually transmitted diseases. The mathematical model of the AIDS epidemic indicates that if condom use can decrease by a factor of 5 the chance that a man with AIDS will infect a homosexual partner, the epidemic will die out in the homosexual community.



**H**i ha coses que

The main photograph occupies the central portion of the advertisement. It depicts a man and a woman in bed. The man, with short brown hair, is lying on his back, looking up at the woman. The woman, with long, wavy brown hair, is leaning over him, her head resting against his chest. She is wearing a white t-shirt. The background is dark, suggesting a bedroom setting.

COM MÉS  
LES PRACTIQUES,  
MÉS T' AGRADEN.



# Just another small changes in the last 30 years,....





Moltes  
Gràcies!!!!